



# SAFETY DATA SHEET

## BOA ULTRA MAX HD 15W-40

According to REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Date of First Publication : 21.12.2003

Revision Date : 09.01.2025

Revision Number : 06

SDS Number : KG-F-300

Page 1 of 10

### SECTION 1 : IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

|  |  |
|--|--|
| <b>1.1 Product identifier</b>  | Trade Name : BOA ULTRA MAX HD 15W-40<br>Product Form : Mixture<br>EC No. : Not available<br>CAS No. : Not available<br>REACH Registration No. : Not available      |
| <b>1.2 Relevant identified uses of the substance or mixture and uses advised against</b> | Identified uses: Engine Oil  |
| <b>1.3 Details of the supplier of the safety data sheet</b>                              | GÜZEL ENERJİ AKARYAKIT A.Ş.<br>10013 Sokak No.: 6 A.O.S.B. Çiğli/İZMİR<br>Tel: 0 232 328 10 36 Faks: 0 232 328 20 82<br>e-mail: moillaboratuvar@guzelenerji.com.tr |
| <b>1.4 Emergency telephone number</b>  | Güzel Enerji Akaryakıt A.Ş.: 0 232 328 10 36<br>UZEM (National Poison Consultancy Center): 114   |

### SECTION 2 : HAZARD IDENTIFICATION

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Not Classified

#### 2.2 Label elements

No Label elements according to Regulation (EC) No 1272/2008

**Signal Words:** No marker words

#### 2.3 Other hazards

**Physical / Chemical Hazards:** Not classified as harmful

**Health Hazards:** Not classified as harmful

**Environmental Hazards:** Not classified as harmful

## BOA ULTRA MAX HD 15W-40

According to REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Date of First Publication : 21.12.2003  
Revision Date : 09.01.2025  
Revision Number : 06  
SDS Number : KG-F-300

Page 2 of 10

### SECTION 3 : COMPOSITION / INFORMATION ON INGREDIENTS

#### 3.1 Substances

Not Applicable.

#### 3.2 Mixtures

Highly refined base oil (IP 346 DMSO extraction, <3%). Special performance additives.

| Chemical Composition   | CAS No.    | EC No.    | Concentration | Classification  |
|--|------------|-----------|---------------|---|
| Mineral oil  | -          | -         | 5 - 10%       | Asp. Tox. 1; H304   |
| Fosforoditiyoik asit, O, O-bis (1,3-dimetilbütül ve izo-Pr) esterler karışımı, çinko tuzları | 84605-29-8 | 283-392-8 | 1 - 2%        | Skin Irrit. 2; H315<br>Eye Dam. 1; H318<br>Aquatic Chr. 2; H411 |
| Distillates (petroleum), hydrotreated heavy paraffinic                                       | -          | 265-157-1 | 1,5 - 3%      | Asp. Tox. 1; H304   |
| Bis (nonilfenil) amin  | -          | 253-249-4 | 0,5 - 1,5%    | Aquatic Chr 4; H413   |

REACH No.: Not available.

#### Additional information:

The Full Text for all Hazard Statements are Displayed in Section 16.

### SECTION 4 : FIRST AID MEASURES

#### 4.1 Description of first aid measures

**EYE CONTACT:** Wash thoroughly with plenty of water. Remove any contact lenses. Obtain medical advice if any pain or redness develops or persists.

**SKIN CONTACT:** Wash skin thoroughly with soap and plenty of water. Remove heavily contaminated clothing and wash underlying skin.

**INHALATION:** If inhalation of mists, fumes or vapour causes irritation to the nose or throat, or coughing, remove to fresh air. If symptoms persist, obtain medical advice.

**INGESTION:** If contamination the mouth occurs, wash out thoroughly with water. If ingestion occurs large amounts, do not induce vomiting; obtain medical advice of.

#### 4.2 Most important symptoms and effects, both acute and delayed

Ingestion may result in nausea, vomiting and/or diarrhoea.

#### 4.3 Indication of any immediate medical attention and special treatment needed

**Notes to doctor/physician:** Treat symptomatically.



## BOA ULTRA MAX HD 15W-40

According to REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Date of First Publication : 21.12.2003

Revision Date : 09.01.2025

Revision Number : 06

SDS Number : KG-F-300

Page 3 of 10

### SECTION 5 : FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

**Suitable extinguishing media:** Dry chemical powder, foam, water fog, CO<sup>2</sup>

**Unsuitable extinguishing media:** Do not interfere with water to fire. Throwing strong water may spread fire.

#### 5.2 Special hazards arising from the substance or mixture

Combustion occurs as a result of toxic gases. Carbon monoxide may be evolved if incomplete combustion occurs. With high temperatures may burn.

#### 5.3 Advice for firefighters

Closed areas, by trained personnel using fire protective clothing and oxygen mask deflated.

### SECTION 6 : ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. Safety glasses, work clothes, gloves and boots should be used. Provide adequate ventilation.

#### 6.2 Environmental precautions

Avoid release to the environment. Avoid discharge into drains, water courses or onto the ground. Local authorities should be advised if significant spillages cannot be contained.

#### 6.3 Methods and material for containment and cleaning up

Slippery when spilt. Scrape up bulk of solid material and remove liquid with sand or other suitable inert absorbent material. Spilled product should be isolated from sources of ignition, good ventilation should be provided. Recovery of large spillages should be done by specialist personnel.

#### 6.4 Reference to other sections

For guidance on selection of personal protective equipment see Chapter 8 of this Safety Data Sheet. For guidance on disposal of spilled material see Chapter 13 of this Safety Data Sheet.

## BOA ULTRA MAX HD 15W-40

According to REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Date of First Publication : 21.12.2003

Revision Date : 09.01.2025

Revision Number : 06

SDS Number : KG-F-300

Page 4 of 10

### SECTION 7 : HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Good ventilation should be provided in the environment and should be avoided during use of the inhalation.

Skin contact should be avoided and hygienic rules should be applied.

Avoid eating, drinking and smoking while using. Wash hands thoroughly after handling.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in tightly-closed, original container in a dry, cool and well-ventilated place. Be exposed to direct sun rays, should not be stored near heat sources.

#### 7.3 Specific end use(s)

Not applicable.

### SECTION 8 : EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1 Control parameters

Exposure Limit Values: Base oil – uncertain TWA: 5 mg/m<sup>3</sup> 8 hour.

#### 8.2 Exposure controls

##### 8.2.1 Appropriate engineering controls

Provide adequate ventilation in the work area. Avoid inhalation of vapours.

##### 8.2.2 Individual protection measures, such as personal protective equipment

Personal protective equipment symbol(s)



##### Eye protection

If contact is likely safety glasses with side shields are recommended.

##### Skin protection

Wear protective clothing and gloves.



## BOA ULTRA MAX HD 15W-40

According to REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Date of First Publication : 21.12.2003

Revision Date : 09.01.2025

Revision Number : 06

SDS Number : KG-F-300

Page 5 of 10

### Hand protection

Chemical-resistant gloves (nitrile or neoprene) should be used.

### Respiratory protection

If operations are such that exposure to vapour mist or fume may be anticipated then suitable approved respiratory equipment should be worn.

### 8.2.3 Environmental exposure controls

Take appropriate measures to fulfill the requirements of relevant environmental protection legislation.

Do not allow the material to interfere with water pipes, lacrimation and soil.

## SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

|   |  |
|---|--|
| Appearance                              | : Clear, Liquid                                  |
| Colour                                  | : Amber  |
| Odour                                   | : Characteristic                                 |
| Odour Threshold                         | : Data not available                             |
| pH                                      | : Not applicable                                 |
| Melting Point                           | : Not applicable                                 |
| Pour Point                              | : -36 °C   |
| Initial boiling point and boiling range | : Data not available                             |
| Flash Point °C                          | : 226 °C (Method: ASTM D92, Cleveland open cup). |
| Evaporation Rate                        | : Data not available                             |
| Flammability (solid, gas)               | : Data not available                             |
| Upper / Lower Flammability Limits       | : Data not available                             |
| Vapour Pressure                         | : Data not available                             |
| Vapour Density                          | : Data not available                             |
| Density, 15 °C                          | : 0.870 g/ml                                     |
| Solubility in Water                     | : Negligible                                     |
| Partition Coefficient                   | : Data not available                             |
| Auto-ignition Temperature               | : Data not available                             |
| Decomposition Temperature               | : Data not available                             |
| Viscosity 100 °C                        | : 13 – 16 mm <sup>2</sup> /s (Method: ASTM D445) |
| Explosive properties                    | : Data not available                             |
| Oxidizing properties                    | : Data not available                             |



## BOA ULTRA MAX HD 15W-40

According to REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Date of First Publication : 21.12.2003

Revision Date : 09.01.2025

Revision Number : 06

SDS Number : KG-F-300

Page 6 of 10

### 9.2 Other information

Data not available

## SECTION 10 : STABILITY AND REACTIVITY

### 10.1 Reactivity

See-sub-sections below.

### 10.2 Chemical stability

Stabile.

### 10.3 Possibility of hazardous reactions

Under normal conditions of storage and use, no hazardous reactions will occur.

### 10.4 Conditions to avoid

Do not expose to high temperatures or direct sunlight.

### 10.5 Incompatible materials

Avoid contact with strong oxidizing agents.

### 10.6 Hazardous decomposition products

Thermal decomposition products will vary with conditions.

If there is not a complete combustion, smoke, hazardous gases, including carbon dioxide and carbon monoxide occurs.

## SECTION 11 : TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

**Eye contact** : May irritate eyes.

**Skin contact** : May cause skin irritation.

**Ingestion** : May cause discomfort if swallowed. The main symptoms are gastrointestinal ailments, including upset stomach.

**Inhalation** : May cause irritation to eyes, nose and throat at high vapour concentrations.



## BOA ULTRA MAX HD 15W-40

According to REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Date of First Publication : 21.12.2003

Revision Date : 09.01.2025

Revision Number : 06

SDS Number : KG-F-300

Page 7 of 10

### SECTION 12 : ECOLOGICAL INFORMATION

#### 12.1 Toxicity

It is thought to be harmful to aquatic organisms. Spills on the surface of water forming a film layer prevents oxygen transfer.

#### 12.2 Persistence and degradability

Expected to be inherently biodegradable.

#### 12.3 Bioaccumulative potential

Data not available.

#### 12.4 Mobility in soil

Spilled product can cause pollution of groundwater.

#### 12.5 Results of PBT and vPvB assessment

Data not available.

#### 12.6 Other adverse effects

No data available.

### SECTION 13 : ECOLOGICAL INFORMATION

#### 13.1 Waste treatment methods

Dispose of by incineration or other suitable means under conditions approved by the local authority or via licensed waste disposal contractor.

Waste no time to be spilled to the environment and waterways.

Dispose of packaging or containers in accordance with local regional national and international regulations.

### SECTION 14 : TRANSPORT INFORMATION

#### 14.1 UN number

Not classified as hazardous for transport. (ADR/RID, ADNR, IMDG, ICAO/IATA)



## BOA ULTRA MAX HD 15W-40

According to REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Date of First Publication : 21.12.2003

Revision Date : 09.01.2025

Revision Number : 06

SDS Number : KG-F-300

Page 8 of 10

### 14.2 UN proper shipping name

Not classified as hazardous for transport. (ADR/RID, ADNR, IMDG, ICAO/IATA)

### 14.3 Transport hazard class(es)

Not classified as hazardous for transport. (ADR/RID, ADNR, IMDG, ICAO/IATA)

### 14.4 Packing group

Not classified as hazardous for transport. (ADR/RID, ADNR, IMDG, ICAO/IATA)

### 14.5 Environmental hazards

Not classified as hazardous for transport. (ADR/RID, ADNR, IMDG, ICAO/IATA)

### 14.6 Special precautions for user

Not applicable.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

## SECTION 15 : REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Applicable EU Directives and Regulations:

Regulation (EC) No 1907/2006 - REACH

Regulation No 1272/2008 – CLP (Regulation on classification, labelling and packaging)

Commission Regulation (EU) 2020/878

ECHA Guidance on the compilation of safety data sheets

### 15.2 Chemical safety assessment

There is no chemical safety assessment application.



## BOA ULTRA MAX HD 15W-40

According to REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Date of First Publication : 21.12.2003

Revision Date : 09.01.2025

Revision Number : 06

SDS Number : KG-F-300

Page 9 of 10

### SECTION 16 : OTHER INFORMATION

#### Abbreviations and acronyms

|              |   |
|--------------|---|
| ADR          | : International Carriage of Dangerous Goods by Road   |
| ADNR         | : Carriage of Dangerous Goods by Inland Waterways   |
| RID          | : Regulations Relating to International Carriage of Dangerous Goods by Rail   |
| IMDG         | : International Maritime Dangerous Goods  |
| ICAQ-TI      | : International Civil Aviation Organization - Technical Instructions for the Safe Transport of Dangerous Goods by Air |
| IATA         | : International Air Transport Association   |
| ACGIH        | : American Conference of Governmental Industrial Hygienists   |
| ASTM         | : American Society for Testing and Materials  |
| CAS          | : Chemical Abstracts Service  |
| GHS          | : Globally Harmonised System of Classification and Labelling of Chemicals   |
| OEL          | : Occupational Exposure Limit   |
| TWA          | : Time-Weighted Average   |
| STEL         | : Short term exposure limit   |
| PBT          | : Persistent, Bioaccumulative and Toxic   |
| vPvB         | : Very Persistent and very Bioaccumulative  |
| MARPOL 73/78 | : International Convention for the Prevention of Pollution From Ships   |

#### Wording of the H-statements in section 2 and 3:

|      |  |
|------|--|
| H304 | : May be fatal if swallowed and enters airways           |
| H315 | : Causes skin irritation                                 |
| H318 | : Causes serious eye damage                              |
| H411 | : Toxic to aquatic life with long-lasting effects        |
| H413 | : May cause long-lasting harmful effects to aquatic life |

#### Full text of other abbreviations

|                 |                       |
|-----------------|-----------------------|
| Asp. Tox.       | : Aspiration toxicity |
| Eye Dam.        | : Eye Damage          |
| Skin Irrit.     | : Skin Irritation     |
| Aquatic Chronic | : Aquatic Chronic     |



## BOA ULTRA MAX HD 15W-40

According to REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Date of First Publication : 21.12.2003

Revision Date : 09.01.2025

Revision Number : 06

SDS Number : KG-F-300

Page 10 of 10

### Revision Comments

Regulation change.

### Issued by

Name and Surname : Arzu GÜRBİYİK (Chemical Assessment Specialist)

Certificate Type : Chemical Assessment Specialist Certificate

Certificate Number : TÜV/11.227.01

Certificate Validity Date : 22.12.2028

Contact Information : arzu.gurbiyik@guzelenerji.com.tr

### Warning

The information presented about health safety and environment issues in this safety data sheet was given by considering of best knowledge and reliable sources at the date of its preparation. Although maximum effort was shown, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof.

Health and safety precautions and environmental advice noted in this data sheet may not be accurate for all individuals and/or situations.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations.

No statement made in this data sheet shall be construed as a permission, recommendation or authorization given or implied to practise any patented invention without a valid licence.

The GÜZEL ENERJİ AKARYAKIT A.Ş. shall not be responsible for any damage or injury resulting from abnormal use of the material from any failure to adhere to recommendations or from any hazards inherent in the nature of the material.